Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	((MultiMediaCard$1 or MMC$1 or (multimedia adj card$1) or (flash adj (card$1 or memor$3) or (((read adj only adj memory) or ROM) adj card$1))) and ((low adj voltage adj detect$3) or LVD$1) and (reset near2 signal$1)).clm.	US-PGPUB	OR	OFF	2005/10/07 14:13
L2	16	((MultiMediaCard$1 or MMC$1 or (multimedia adj card$1) or (flash adj (card$1 or memor$3) or (((read adj only adj memory) or ROM) adj card$1))) and ((set or preset or (pre adj set) or specif$3 or prespecif$3 or (pre adj specif$3) or preprogram$3 or (pre adj program$3) or min or max or minimum or maximum or high$2 or low$2 or up$3 or predetermin$2 or first or second) near3 (threshold$1 or value$1 or level$1)) and (reset near2 signal$1)).clm.	US-PGPUB	OR	OFF	2005/10/07 14:20
L3	1	((MultiMediaCard$1 or MMC$1 or (multimedia adj card$1) or (flash adj (card$1 or memor$3) or (((read adj only adj memory) or ROM) adj card$1))) and ((set or preset or (pre adj set) or specif$3 or prespecif$3 or (pre adj specif$3) or preprogram$3 or (pre adj program$3) or min or max or minimum or maximum or high$2 or low$2 or up$3 or predetermin$2 or first or second) near3 (threshold$1 or value$1 or level$1)) and (reset near2 signal$1) and (interrupt near2 signal$1)).clm.	US-PGPUB	OR	OFF	2005/10/07 14:14
L4	1	((MultiMediaCard$1 or MMC$1 or (multimedia adj card$1) or (flash adj (card$1 or memor$3) or (((read adj only adj memory) or ROM) adj card$1))) and ((set or preset or (pre adj set) or specif$3 or prespecif$3 or (pre adj specif$3) or preprogram$3 or (pre adj program$3) or min or max or minimum or maximum or high$2 or low$2 or up$3 or predetermin$2 or first or second) near3 (threshold$1 or value$1 or level$1)) and (reset near2 signal$1) and (sampl$3 or poll$3)).clm.	US-PGPUB	OR	OFF	2005/10/07 14:15
L5	2	2 and interrupt$1	US-PGPUB	OR	OFF	2005/10/07 14:15

L6	5	((MultiMediaCard$1 or MMC$1 or (multimedia adj card$1) or (flash adj (card$1 or memor$3) or (((read adj only adj memory) or ROM) adj card$1))) and ((set or preset or (pre adj set) or specif$3 or prespecif$3 or (pre adj specif$3) or preprogram$3 or (pre adj program$3) or min or max or minimum or maximum or high$2 or low$2 or up$3 or predetermin$2 or first or second) near3 (voltage near2 (threshold$1 or value$1 or level$1))) and (reset near2 signal$1)).clm.	US-PGPUB	OR	OFF	2005/10/07 14:20

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	52561	(detect$3 or monitor$3 or check$3 or identif$7 or determin$5) near6 (voltage near3 (drop$4 or low$5 or reduc$5 or decreas$3 or fall$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 10:41
L2	808	1 same interrupt$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 10:39
L3	414	1 with interrupt$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 10:04
L4	130	2 same reset$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 10:07
L5	20	3 with reset$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 10:05
L6	1	4 same (MultiMediaCard$1 or MMC$1 or (multimedia adj card$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 10:10
L7	0	5 with (MultiMediaCard$1 or MMC$1 or (multimedia adj card$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 10:06
L8	1	2 same (MultiMediaCard$1 or MMC$1 or (multimedia adj card$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 10:07
L9	1	3 with (MultiMediaCard$1 or MMC$1 or (multimedia adj card$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 10:06
L10	3028	1 same reset$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 10:27

L11	1570	1 with reset$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 10:07
L12	1	10 same (MultiMediaCard$1 or MMC$1 or (multimedia adj card$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 10:07
L13	0	11 with (MultiMediaCard$1 or MMC$1 or (multimedia adj card$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 10:07
L14	3	1 same (MultiMediaCard$1 or MMC$1 or (multimedia adj card$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 10:07
L15	2	1 with (MultiMediaCard$1 or MMC$1 or (multimedia adj card$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 10:07
L16	1	4 same (MultiMediaCard$1 or MMC$1 or (multimedia adj card$1) or (flash adj (card$1 or memor$3) or (((read adj only adj memory) or ROM) adj card$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 10:16
L17	19	2 same (MultiMediaCard$1 or MMC$1 or (multimedia adj card$1) or (flash adj (card$1 or memor$3) or (((read adj only adj memory) or ROM) adj card$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 10:25
L18	1	3 with (MultiMediaCard$1 or MMC$1 or (multimedia adj card$1) or (flash adj (card$1 or memor$3) or (((read adj only adj memory) or ROM) adj card$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 10:13
L19	10	10 same (MultiMediaCard$1 or MMC$1 or (multimedia adj card$1) or (flash adj (card$1 or memor$3) or (((read adj only adj memory) or ROM) adj card$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 10:16
L20	2	11 with (MultiMediaCard$1 or MMC$1 or (multimedia adj card$1) or (flash adj (card$1 or memor$3) or (((read adj only adj memory) or ROM) adj card$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:58

L21	3	("6101127" | "6108246" | "6204703").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/07 10:23
L22	36	2 same (MultiMediaCard$1 or MMC$1 or (multimedia adj card$1) or (flash adj (card$1 or memor$3) or (((read adj only adj memory) or ROM) adj card$1)) or ((nonvolatile or (non adj volatile)) adj memor$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 10:33
L23	4	3 with (MultiMediaCard$1 or MMC$1 or (multimedia adj card$1) or (flash adj (card$1 or memor$3) or (((read adj only adj memory) or ROM) adj card$1)) or ((nonvolatile or (non adj volatile)) adj memor$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 10:26
L24	9	22 same reset$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 10:28
L25	0	23 with reset$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 10:27
L26	77	10 same (MultiMediaCard$1 or MMC$1 or (multimedia adj card$1) or (flash adj (card$1 or memor$3) or (((read adj only adj memory) or ROM) adj card$1)) or ((nonvolatile or (non adj volatile)) adj memor$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 10:33
L27	22	11 with (MultiMediaCard$1 or MMC$1 or (multimedia adj card$1) or (flash adj (card$1 or memor$3) or (((read adj only adj memory) or ROM) adj card$1)) or ((nonvolatile or (non adj volatile)) adj memor$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 10:33
L28	9	26 same interrupt$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 10:39
L29	85692	(detect$3 or monitor$3 or check$3 or identif$7 or determin$5) near6 (voltage near3 (drop$4 or low$5 or reduc$5 or decreas$3 or fall$3 or fluctuat$4 or oscillat$4 or vary$3 or chang$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 10:45

L30	17190	29 same ((set or preset or (pre adj set) or specif$3 or prespecif$3 or (pre adj specif$3) or preprogram$3 or (pre adj program$3) or min or max or minimum or maximum or high$2 or low$2 or up$3) near3 (threshold$1 or value$1 or level$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:04
L31	11437	29 with ((set or preset or (pre adj set) or specif$3 or prespecif$3 or (pre adj specif$3) or preprogram$3 or (pre adj program$3) or min or max or minimum or maximum or high$2 or low$2 or up$3) near3 (threshold$1 or value$1 or level$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 10:58
L32	370	30 same ((reset or interrupt) near2 signal$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 10:58
L33	117	31 with ((reset or interrupt) near2 signal$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 10:59
L34	3	30 same (generat$3 near6 (interrupt near2 signal$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:00
L35	1	31 with (generat$3 near6 (interrupt near2 signal$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:00
L36	20293	29 same ((set or preset or (pre adj set) or specif$3 or prespecif$3 or (pre adj specif$3) or preprogram$3 or (pre adj program$3) or min or max or minimum or maximum or high$2 or low$2 or up$3 or predetermin$2) near3 (threshold$1 or value$1 or level$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:16
L37	13776	29 with ((set or preset or (pre adj set) or specif$3 or prespecif$3 or (pre adj specif$3) or preprogram$3 or (pre adj program$3) or min or max or minimum or maximum or high$2 or low$2 or up$3 or predetermin$2) near3 (threshold$1 or value$1 or level$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:05

L38	35	36 same ((avoid$3 or prevent$3) near3 reset$4 or reboot$3 or (re adj boot$3) or reinitializ$5 or (re adj initializ$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:11
L39	10	37 with ((avoid$3 or prevent$3) near3 reset$4 or reboot$3 or (re adj boot$3) or reinitializ$5 or (re adj initializ$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:07
L40	28	36 same ((avoid$3 or prevent$3) near3 (reset$4 or reboot$3 or (re adj boot$3) or reinitializ$5 or (re adj initializ$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:17
L41	8	37 with ((avoid$3 or prevent$3) near3 (reset$4 or reboot$3 or (re adj boot$3) or reinitializ$5 or (re adj initializ$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:11
L42	21369	29 same ((set or preset or (pre adj set) or specif$3 or prespecif$3 or (pre adj specif$3) or preprogram$3 or (pre adj program$3) or min or max or minimum or maximum or high$2 or low$2 or up$3 or predetermin$2 or first or second) near3 (threshold$1 or value$1 or level$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:17
L43	14626	29 with ((set or preset or (pre adj set) or specif$3 or prespecif$3 or (pre adj specif$3) or preprogram$3 or (pre adj program$3) or min or max or minimum or maximum or high$2 or low$2 or up$3 or predetermin$2 or first or second) near3 (threshold$1 or value$1 or level$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:17
L44	44	42 same ((avoid$3 or prevent$3) near6 (reset$4 or reboot$3 or (re adj boot$3) or reinitializ$5 or (re adj initializ$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 12:56
L45	10	43 with ((avoid$3 or prevent$3) near6 (reset$4 or reboot$3 or (re adj boot$3) or reinitializ$5 or (re adj initializ$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:18
L46	8207	((low adj voltage adj detect$3) or LVD$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:43

L47	529	46 same (sampl$3 or poll$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:52
L48	255	46 with (sampl$3 or poll$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:31
L49	29	46 same ((avoid$3 or prevent$3) near6 (reset$4 or reboot$3 or (re adj boot$3) or reinitializ$5 or (re adj initializ$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:49
L50	11	46 with ((avoid$3 or prevent$3) near6 (reset$4 or reboot$3 or (re adj boot$3) or reinitializ$5 or (re adj initializ$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:32
L51	0	49 same (sampl$3 or poll$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:31
L52	76	46 same ((sampl$3 or poll$3) near3 signal$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:42
L53	34	48 with ((sampl$3 or poll$3) near3 signal$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:42
L54	2296	((low adj voltage adj detect$3) or LVD)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:43
L55	64	54 same (sampl$3 or poll$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:48
L56	23	54 with (sampl$3 or poll$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:43

L57	17	54 same ((avoid$3 or prevent$3) near3 (reset$4 or reboot$3 or (re adj boot$3) or reinitializ$5 or (re adj initializ$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:54
L58	5	54 with ((avoid$3 or prevent$3) near3 (reset$4 or reboot$3 or (re adj boot$3) or reinitializ$5 or (re adj initializ$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:50
L59	756	42 same (sampl$3 or poll$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:58
L60	214	43 with (sampl$3 or poll$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:53
L61	27	42 same ((sampl$3 or poll$3) near2 (voltage adj (level$1 or value$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:54
L62	8	43 with ((sampl$3 or poll$3) near2 (voltage adj (level$1 or value$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:54
L63	0	61 same ((avoid$3 or prevent$3) near3 (reset$4 or reboot$3 or (re adj boot$3) or reinitializ$5 or (re adj initializ$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:54
L64	3	52 same reset$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:57
L65	2	53 with reset$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:57
L66	59	46 same (MultiMediaCard$1 or MMC$1 or (multimedia adj card$1) or (flash adj (card$1 or memor$3) or (((read adj only adj memory) or ROM) adj card$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 12:05

L67	35	46 with (MultiMediaCard$1 or MMC$1 or (multimedia adj card$1) or (flash adj (card$1 or memor$3) or (((read adj only adj memory) or ROM) adj card$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:58
L68	5	66 same (sampl$3 or poll$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:59
L69	1	67 with (sampl$3 or poll$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:59
L70	·6	66 same reset$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 12:05
L71	1	67 with reset$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:59
L72	46	54 same (MultiMediaCard$1 or MMC$1 or (multimedia adj card$1) or (flash adj (card$1 or memor$3) or (((read adj only adj memory) or ROM) adj card$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 12:08
L73	35	54 with (MultiMediaCard$1 or MMC$1 or (multimedia adj card$1) or (flash adj (card$1 or memor$3) or (((read adj only adj memory) or ROM) adj card$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 12:05
L74	4	72 same reset$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 12:50
L75	1	73 with reset$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 12:28

L76	47	54 same (MultiMediaCard$1 or MMC$1 or (multimedia adj card$1) or (flash adj (card$1 or memor$3) or (((read adj only adj memory) or ROM) adj card$1)) or (((compact adj flash) or CF) adj (card$1 or memor$3)) or (((Security adj Digital) or SD) adj card$1) or (SmartCard$1 or (Smart adj card$1)) or ((SmartMedia or (Smart adj Media)) adj card$1) or (Memory adj stick$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 12:34
L77	35	54 with (MultiMediaCard$1 or MMC$1 or (multimedia adj card$1) or (flash adj (card$1 or memor$3) or (((read adj only adj memory) or ROM) adj card$1)) or (((compact adj flash) or CF) adj (card$1 or memor$3)) or (((Security adj Digital) or SD) adj card$1) or (SmartCard$1 or (Smart adj card$1)) or ((SmartMedia or (Smart adj Media)) adj card$1) or (Memory adj stick$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 12:15
L78	1	77 same reset$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 12:29
L79	121	42 same (MultiMediaCard$1 or MMC$1 or (multimedia adj card$1) or (flash adj (card$1 or memor$3) or (((read adj only adj memory) or ROM) adj card$1)) or (((compact adj flash) or CF) adj (card$1 or memor$3)) or (((Security adj Digital) or SD) adj card$1) or (SmartCard$1 or (Smart adj card$1)) or ((SmartMedia or (Smart adj Media)) adj card$1) or (Memory adj stick$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 12:49
L80	25	43 with (MultiMediaCard$1 or MMC$1 or (multimedia adj card$1) or (flash adj (card$1 or memor$3) or (((read adj only adj memory) or ROM) adj card$1)) or (((compact adj flash) or CF) adj (card$1 or memor$3)) or (((Security adj Digital) or SD) adj card$1) or (SmartCard$1 or (Smart adj card$1)) or ((SmartMedia or (Smart adj Media)) adj card$1) or (Memory adj stick$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 12:35

L81	7	79 same reset$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 12:46
L82	313	29 same (MultiMediaCard$1 or MMC$1 or (multimedia adj card$1) or (flash adj (card$1 or memor$3) or (((read adj only adj memory) or ROM) adj card$1)) or (((compact adj flash) or CF) adj (card$1 or memor$3)) or (((Security adj Digital) or SD) adj card$1) or (SmartCard$1 or (Smart adj card$1)) or ((SmartMedia or (Smart adj Media)) adj card$1) or (Memory adj stick$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:00
L83	123	29 with (MultiMediaCard$1 or MMC$1 or (multimedia adj card$1) or (flash adj (card$1 or memor$3) or (((read adj only adj memory) or ROM) adj card$1)) or (((compact adj flash) or CF) adj (card$1 or memor$3)) or (((Security adj Digital) or SD) adj card$1) or (SmartCard$1 or (Smart adj card$1)) or ((SmartMedia or (Smart adj Media)) adj card$1) or (Memory adj stick$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 12:49
L84	16	82 same reset$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 12:52
L85	3	83 with reset$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 12:50
L86	2	"6655599".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 12:52
L87	5	("5068521" | "5326965" | "5736728" | "6070804" | "6474558").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/07 12:54
L88	0	("6655599").URPN.	USPAT	OR	OFF	2005/10/07 12:55
L89	44	42 same ((avoid$3 or prevent$3 or ("not" adj necessary) or unnecessary) near6 (reset$4 or reboot$3 or (re adj boot$3) or reinitializ$5 or (re adj initializ$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:04

L90	10	43 with ((avoid$3 or prevent$3 or ("not" adj necessary) or unnecessary) near6 (reset$4 or reboot$3 or (re adj boot$3) or reinitializ$5 or (re adj initializ$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 12:57
L91	0	89 same (MultiMediaCard$1 or MMC$1 or (multimedia adj card$1) or (flash adj (card$1 or memor$3) or (((read adj only adj memory) or ROM) adj card$1)) or (((compact adj flash) or CF) adj (card$1 or memor$3)) or (((Security adj Digital) or SD) adj card$1) or (SmartCard$1 or (Smart adj card$1)) or ((SmartMedia or (Smart adj Media)) adj card$1) or (Memory adj stick$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:05
L92	0	89 and 713/300.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:03
L93	0	90 and 713/300.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:00
L94	0	89 and 713/320.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:13
L95	0	90 and 713/320.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:01
L96	3	76 and 713/300.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:02
L97	3	77 and 713/300.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:02
L98	1	89 and 713/340.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:04

L99	0	90 and 713/340.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:04
L100	50	((avoid$3 or prevent$3 or ("not" adj necessary) or unnecessary) near6 (reset$4 or reboot$3 or (re adj boot$3) or reinitializ$5 or (re adj initializ$5))) and 713/300.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:16
L101	0	100 and 56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:05
L102	16	100 and (MultiMediaCard$1 or MMC$1 or (multimedia adj card$1) or (flash adj (card$1 or memor$3) or (((read adj only adj memory) or ROM) adj card$1)) or (((compact adj flash) or CF) adj (card$1 or memor$3)) or (((Security adj Digital) or SD) adj card$1) or (SmartCard$1 or (Smart adj card$1)) or ((SmartMedia or (Smart adj Media)) adj card$1) or (Memory adj stick$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:07
L103	38	((avoid$3 or prevent$3 or ("not" adj necessary) or unnecessary) near6 (reset$4 or reboot$3 or (re adj boot$3) or reinitializ$5 or (re adj initializ$5))) and 713/340.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:08
L104	1	103 and (MultiMediaCard$1 or MMC$1 or (multimedia adj card$1) or (flash adj (card$1 or memor$3) or (((read adj only adj memory) or ROM) adj card$1)) or (((compact adj flash) or CF) adj (card$1 or memor$3)) or (((Security adj Digital) or SD) adj card$1) or (SmartCard$1 or (Smart adj card$1)) or ((SmartMedia or (Smart adj Media)) adj card$1) or (Memory adj stick$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:08